

Battleship Marboleum Handicraft Tilecraft Jaspé



HEAD OFFICE & FACTORIES

Company of the same of the sam

MONTREAL 24, QUE.
2200 St. Catherine Street East
Tel.: LAfontaine 2-3121

SALES OFFICES

VANCOUVER 2, B.C.
Room 101, 1131 Richards Street
Tel.: MUtual 1-6924

Room 404, Northern Hardware Building
Tel.: GArden 2-2765

WINNIPEG, MAN.

Room 404, 218 Portage Avenue
Tel.: WHitehall 2-8327

Ontario Selling Agent
TORONTO 3, ONT.
The Canada Linseed Oil Mills Limited
40 Wabash Avenue
Tel.: LEnnox 7-3191

MARITIMES REPRESENTATIVE, HALIFAX Tel.: 5-4153

DISTRIBUTORS

Authorized Wholesale Trade

SPECIAL NOTICE: All orders subject to approval of Head Office and invoiced at prices prevailing at time of shipment. Prices subject to change without notice. F.O.B. Montreal.



°°°1001111011 Oilcloth & Linoleun

CO. LIMITED

Explore Dominion


This illustration is composed of actual pieces of linoleum chosen from Dominion's range of over 100 modern primaries, shades, tints and patterns!



DOMINION LINOLEUM . . . more resistant to scratches . . . sheds burns . . . creates original interiors

inoleum's Cavalcade of Colour





Dominion Linoleum "makes history" . . . Canadian history in colour. Just a pleasant way of bringing to your attention a few selections from the finest range of colours and patterns in North America. This picture alone is rich in inspiration for an endless variety of adventurous decorating schemes. Explore the combination-possibilities of the lake-and-sky blues, the field-and-forest greens, the robust browns. Ideas everywhere for home and commercial decor that's as light and airy as the great outdoors! Dominion Linoleum, with its great panorama of colours, has other enticing advantages, too . . . a smooth, easy-cleaning surface that doesn't harbour dust . . . initial low cost and the economy of good, long wear proven by 50 years of service . . .

A "CANADIAN COMPANY" assures you fast, efficient service, personal attention.

- 1. MacKenzie
- 2. Simon Fraser
- 3. Samuel Hearne
- 4. Fort Garry (Winnipeg)
- 5. La Verendrye brothers
- 6. Champlain
- 7. LaSalle
- 8. Frontenac
- 9. Cartier

Contents

Accessories 63

Battleship Linoleum 6 and 7

Calculator — Yardage 64

Calculator — Tile 65

Care of Linoleum 68

Cements and Waxes 67

Code Words Linoleum 72

Code Words Gravure and Rexoleum 104

Cork Carpet 7

Counter Topping (Plastic) 99

Cove Base and Counter Topping (Linoleum) 62

Custom Design and Motifs 51 - 53

Embossed Inlaid Linoleum 25

Handicraft - By-the-yard 20 - 24

Handicraft Tiles "A" Gauge 42

Standard Gauge 42

Domestic Gauge 43

Information for Architects, Contractors, etc. 54 and 55

Information General 69

Installation Notes 60 and 61

Installations in a Few Well Known Buildings 56 and 57

Insets — (Do-it-Yourself) 53

Jaspé - By-the-yard 16 - 19

Jaspé Tiles "A" Gauge 40

Standard Gauge 41

Linoleum — Table of Gauges, Widths, Lengths, Weights 66

Linoleum Laying Equipment 58 and 59

Marboleum - By-the-yard 8 - 15

Marboleum Tiles "A" Gauge 36 and 37

Standard Gauge 38

Domestic Gauge 39

Motifs 50 - 52

Moulded By-the-yard Inlaid Linoleum 28 - 32

Photo of Office and Plant, Montreal, Que. 70 and 71

Rexoleum (De Luxe Quality) 76 - 83

Rexoleum (Gravure) 73, 74 and 75

Rexoleum (Standard Quality) 84 - 89

Rexoleum Mats 96 - 98

Rexoleum Rugs (De Luxe Quality) 91 - 95

Rexoleum — Table of Widths, Lengths, Weights 103

Rexoleum Passage (Standard Quality) 90

Rexwall 100 - 101

Tiling By-the-yard Inlaid Linoleum 26 and 27

Tilecraft 34 and 35

Tiles 33 - 43

Tile Arrangements 44 - 49

Wall Coverings — Vinyl Domoleather 102

COLOURINGS

The patterns reproduced in this book are, in most cases, true reproductions of actual goods, but it occasionally happens that colourings vary through circumstances beyond our control. We cannot, therefore, guarantee colourings to be absolutely correct in every case.

DOMINION LINOLEUM PRODUCTS

Yard Goods

Battleship 6-7

Cork Carpet 7

Marboleum 9 - 15

Jaspé 17 - 19

Handicraft 21 - 24

Embossed 25

Tiling 26 - 27

Moulded 29 - 32

Tiles

Tilecraft 35

Marboleum 36 - 39

Jaspé 40 - 41

Handicraft 42 - 43

Suggested tile arrangements 44 - 49

Motifs and Insets 51 - 53

DOMINION

Printed Felt Base Goods

BY THE YARD

Rexoleum Gravure 74 - 75

Rexoleum de Luxe 77 - 83

Rexoleum Standard 84 - 89

Rexoleum Passage 90

Rexoleum Rugs 92 - 95

Rexoleum Mats 97 - 98

DOMINION

Wall Coverings

Counter Topping 99

Rexwall 100 - 101

Domestic Gauge

Lino — Wall Tiles — 102

Vinyl Domoleather Wall Covering

Battleship

The "original" Dominion Linoleum — Unparalleled performance for over 50 years — Ideal in sheet form for heavy traffic areas — Ideal in tiles, strips, borders and other cut forms for decorative work — 14 colours.



2 YDS. WIDE "A" GAUGE - CANVAS BACK


"AAA" GAUGE - CANVAS BACK MADE TO ORDER



LIGHT GREEN



TERRA COTTA



GREY



BROWN




DARK GREEN



BLACK

Cork Carpet



GREY

CANVAS BACK

GAUGES "A"

1/4"

GAUGES "B"

3/16"




BROWN



LIGHT GREEN



Windsor, Ontario — City Hall.



Marboleum

Our most versatile flooring — new beiges and browns available range of 27 colours — exclusive designs possible . . .

The delicate tone-on-tone treatment of MARBOLEUM gives a feeling of warmth while its uncluttered pattern suggests spaciousness.

THIS RANGE IS FEATURED 1/2 ACTUAL SIZE

All Marboleum colours are available made to order "AA" and "A" gauges, Canvas Back. In minimum orders of 1,200 sq. yds. For smaller quantities check possibility of stock on hand. See Pages 36 to 39 Re: This Product in Tile Form.



M-28

A GAUGE ONLY



M-26

A GAUGE ONLY



M-27

A AND DOMESTIC GAUGES




M-25

A GAUGE ONLY



M-24 A AND DOMESTIC GAUGES



M-22 A GAUGE ONLY




M-23 A AND DOMESTIC GAUGES



M-21 A GAUGE ONLY







M-18 A AND DOMESTIC GAUGES



M-19 A GAUGE ONLY



M-17 A AND DOMESTIC GAUGES



M-13 A AND DOMESTIC GAUGES



M-92 A AND DOMESTIC GAUGES



M-99 A GAUGE ONLY



M-91

A GAUGE ONLY



M-89

A GAUGE ONLY





M-87

A AND DOMESTIC GAUGES



M-85

A GAUGE ONLY



M-81 A AND DOMESTIC GAUGES




M-76 A GAUGE ONLY



M-80 A AND DOMESTIC GAUGES



M-53 A AND DOMESTIC GAUGES



M-49

A GAUGE ONLY




M-39

A AND DOMESTIC GAUGES



M-43

A GAUGE ONLY




Marboleum is an Interior Decorator's Delight!

Our largest colour range (27) in fashion-tinted shades that match or blend with the most modern of drapes, furniture, paint and wallpaper. Promote new, fun-to-live-with decorator colours in Marboleum.



Jaspé LINOLEUM



Strong, clear colours—
adaptable for dramatic decors—
new decorator beiges and browns—range of 13 shades—
exclusive designs possible.

A decorator's delight, Jaspé's subtle veining, soft tones add a feeling of quality to any interior.

THIS RANGE IS FEATURED 1/2 ACTUAL SIZE


All Jaspé colours are available made to order "AA" gauge, Canvas Back. In minimum order of 1,200 sq. yds. For smaller quantities check possibility of stock on hand. See Pages 40-41 Re: This Product in Tile Form.

DOMINION JASPÉ LINOLEUM



J-746

A GAUGE ONLY




J-739

A GAUGE ONLY



J-745

A GAUGE ONLY



J-738

A GAUGE ONLY

DOMINION JASPÉ LINOLEUM



J-737

A GAUGE ONLY



J-726

A GAUGE ONLY



J-736


A GAUGE ONLY



J-725

A GAUGE ONLY

DOMINION JASPÉ LINOLEUM



J-724

A GAUGE ONLY




J-723

A GAUGE ONLY



J-721

A GAUGE ONLY



J-712


A GAUGE ONLY



J-708 A GAUGE ONLY



Wentworth County Court House



DOMINION

Handicraft

Strong-textured weave pattern — compact colour range — warm, fabric-toned beiges . . .

Handicraft's textured design camouflages
dust and scuff marks, ideal for hotels, motels, offices,
modern institutions and homes.

THIS RANGE IS FEATURED 1/2 ACTUAL SIZE

All Handicraft colours are available made to order "AA" and "A" gauges Canvas Back. In minimum order of 1,200 sq. yds. For smaller quantities check possibility of stock on hand. See Pages 42-43 Re: This Product in Tile Form.



H-787

A GAUGE ONLY



H-785

A AND DOMESTIC GAUGES



H-786

A GAUGE ONLY



H-784

A GAUGE ONLY



H-783 A AND DOMESTIC GAUGES



H-778 A AND DOMESTIC GAUGES



H-782 A GAUGE ONLY



H-776 A AND DOMESTIC GAUGES



H-775 A AND DOMESTIC GAUGES



H-773 A AND DOMESTIC GAUGES



H-774 A GAUGE ONLY



H-772 DOMESTIC GAUGE ONLY



H-771 A AND DOMESTIC GAUGES



H-768

A GAUGE ONLY



H-770 A AND DOMESTIC GAUGES




H-762


A AND DOMESTIC GAUGES

Embossed Inlaid Linoleum










Inlaid Linoleum Tiling



7435

DOMESTIC GAUGE



7434

DOMESTIC GAUGE



7433

DOMESTIC GAUGE



7432

DOMESTIC GAUGE

DOMINION INLAID LINOLEUM (TILING)




7431

DOMESTIC GAUGE



7429

DOMESTIC GAUGE



7430

DOMESTIC GAUGE




7428

DOMESTIC GAUGE



Dominion Inlaid (Moulded) Linoleum 7048



DOMINION


Moulded Inlaid Linoleum


Patterned inlaids made modern — 7 new designs, 15 shades.


Adds warmth and charm to hallways, foyers, bathrooms and . . . new idea — kitchens.


THIS RANGE IS FEATURED 1/7 AND 1/6 ACTUAL SIZE












7044



7042



7043



DOMINION INLAID (MOULDED) LINOLEUM 7039


















DOMINION LINOLEUM TILE

"Consistently the best tile-buy on the market"

FIVE KINDS - FOUR DIFFERENT GAUGES

MARBOLEUM Stock items	JASPÉ Stock items	HANDICRAFT Stock items	TILECRAFT Stock items	BATTLESHIP 9" x 9" tiles cut to order	
	-	_		AA	
A	A	A	A	A	
STANDARD	STANDARD	STANDARD		_	
DOMESTIC	_	DOMESTIC			

AA and A Gauge Canvas back Marboleum, Jaspé, Handicraft are available made to order in minimum orders of 1200 sq. yds. For smaller quantities check possibility of stock on hand.

Dominion Linoleum tile offers the greatest variety of colour and thickness of any tile on the market. This popular, long-established product is suitable for both domestic and commercial use and applicable to any budget.

ORDER AS FOLLOWS:

FROM REGULAR STOCK:

		No. files per box	Covering area of
9" x 9"	A Gauge	100	561/4 sq. ft.
9" x 9"	Standard Gauge	125	701/3 sq. ft.
9" x 9"	Domestic Gauge	150	843/8 sq. ft.
*12" x 12" *Handicraft and Tile	A Gauge	72	72 sq. ft.

TO SPECIAL ORDER:

6" x 6"

12" x 12"

18" x 18"

36" x 36"

Prices for the above are shown on your price list.

DOMINION LINOLEUM . . . more resistant to scratches . . . sheds burns . . . creates original interiors

New 12" x 12" tile available for stock — unique brush stroke pattern — versatile tone-on-tone colours . . .

Tilecraft gives carpet-like elegance to offices, hospitals, schools . . . and homes.

This range is featured 1/3 actual size.



DOMINION LINOLEUM TILES

Tilecrafi





5204


Tiles

"A" GAUGE — FELT BACK

STOCKED

12" x 12"

ONLY









Marboleum Tiles "A" GAUGE - FELT BACK

SEE THIS PRODUCT MADE 2 YARDS WIDE, **PAGES 9 - 15**



M-99



Modern Kitchen using Marboleum Tiles M-91, M-92, M-19, M-39; Linoleum Counter Topping J-725.

MARBOLEUM TILES

(Continued)

"A" GAUGE - FELT BACK

SEE THIS PRODUCT MADE 2 YARDS WIDE, PAGES 9 - 15



M-92




M-91




M-89




M-88



M-87




M-85




M-81



M-80




M-76



M-53



M-49



M-43




M-39

Marboleum Tiles "STANDARD" GAUGE - FELT BACK

Medium-heavy thickness for households . . . stores . . . and light commercial use.


"STANDARD" GAUGE FELT BACK NOT AVAILABLE BY THE YARD



Marboleum Tiles "DOMESTIC" GAUGE - FELT BACK

Inlaid linoleum at economy prices —
identical pattern, identical composition
available in a lighter weight
available in 12 colours.

SEE THIS PRODUCT MADE 2 YARDS WIDE, PAGES 9 - 15



Jaspé Tiles

"A" GAUGE - CANVAS BACK

The Luxury Tile Line



Resilient, rich cork composition. True vibrant colours for

dramatic decorating effects in


modern offices . . . smart homes.




J-745



J-739



J-738



J-737



J-736





J-725






J-723



J-721



J-712



J-708

Jaspé Tiles 600




"STANDARD" GAUGE - FELT BACK

Quality colours in a

medium-heavy thickness and

at a medium price.

A practical decorating product.



NOT AVAILABLE BY THE YARD


J-744



J-743




J-741




J-740



J-738



J-737



J-736




J-735



J-726



J-725



J-723



J-721



J-708

Handicraft Tiles

"A" AND "STANDARD" GAUGES - FELT BACK


A modern day design . . . strong, weave-like pattern combining style and practicality.

Ideal for heavy traffic areas and busy homes.

A Dominion Linoleum exclusive.

"A" GAUGE — SEE THIS PRODUCT MADE
2 YARDS WIDE, PAGES 21 - 24

"STANDARD" GAUGE — FELT BACK
NOT AVAILABLE BY THE YARD





12" x 12" Tiles Handicraft H-783 with 2" interlining of H-784

SEE THIS PRODUCT MADE 2 YARDS WIDE, PAGES 21 - 24

DOMINION LINOLEUM TILES

Handicraft Tiles

"DOMESTIC" GAUGE - FELT BACK


A complete range of colours in a substantial tile at an economy price. 10 colours.





















116 ARRANGEMENTS

A few suggestions — to copy — or improve upon. Vast design possibilities stimulate greater sales. The greatest assortment of any tile flooring.

DOMINION LINOLEUM . . . more resistant to scratches . . . sheds burns . . . creates original interiors.




Bank of Canada, Toronto—Cafeteria

Dominion Jaspé Linoleum Tiles J-736, J-725 and J-723



DOMINION LINOLEUM TILE ARRANGEMENTS



7% Grey 45% Light Beige 48% Dark Beige

TA-82

1% Yellow 1% Brown 1% Red

1% Black 2% Green 94% Beige



TA-80

3% Blue 3% Brown

47% Beige 47% Tan

7% Copper 26% Dark Beige 14% Terra Cotta 28% Light Beige 25% Mocha



TA-87

DOMINION LINOLEUM TILE ARRANGEMENTS





TA-79

5% Dark Beige 6% Light Beige

13% Green 76% Copper




TA-78

6% Green

7% Light Beige


87% Tan



TA-58

73% White 22% Green 5% Rust

"Half" your tiles diagonally . . . mix your products (shown here below-left Marboleum and Jaspé)



TA-77

10% Green 32% Dark Beige 58% Light Beige


DOMINION LINOLEUM TILE ARRANGEMENTS



TA-59


75% Green 6% Black 5% Beige

4% Brown 5% Yellow 5% White



TA-64

34% Yellow 34% Black 32% Beige



TA-62


75% Beige 20% Turquoise 5% Brown

Set your tiles "basket-weave" fashion . . . or (as shown upper left) with the pattern grain running in the same direction.

DOMINION LINOLEUM TILE ARRANGEMENTS



shown on these pages are
suitable for commercial,
business, hospital as well
as domestic use.
They use linoleum to its
fullest advantage and add
character to the
decorating scheme.



TA-66

30% Light Beige 30% Medium Beige 30% Brown

4% Pink 4% Yellow 2% Turquoise



TA-63

2% Pink 2% Turquoise 2% Black

45% Mocha 49% Brown

DOMINION LINOLEUM TILE ARRANGEMENTS



TA-72

3% White 3% Black 3% Turquoise


3% Pink 88% Grey



TA-83

5% Black 14% Mocha

21% Terra Cotta 60% Beige



TA-84

4% Tan 42% Green 8% Terra Cotta 46% Grey



TA-67

32% Tan 32% Cedar

36% Beige

Made-to-order linoleum designs. Our design department will create or reproduce special designs for a nominal additional charge ... traffic directors ... trade marks ... personality themes ... to mention only a few. Linoleum's flexibility makes it a natural product for those special jobs.

CUSTOM DESIGNED NO tifs


DOMINION LINOLEUM . . . more resistant to scratches ... sheds burns ... creates original interiors.




MOTIFS

Give each sale an exclusive touch by suggesting our standard MOTIFS ... so attractive ... so economical ...

so easy to stock.







Available 24" x 24" and 36" x 36"

3261



3243



3259



3247



3258



3229



3249



3231




Available 24" x 24" and 36" x 36"




Motifs





















Peate Musical Supplies Ltd., Montreal
Dominion Jaspé Linoleum J-724, J-723, J-737 and Motif made of Dominion Battleship Linoleum

"DO IT YOURSELF"

WITH

The section

The illustrations below feature several ideas to lift any floor from the ordinary. They use pre-cut, economical insets by Dominion Linoleum and they're planned for the do-it-yourself trade.

We supply, FREE OF CHARGE, a cardboard template of the insets shown. You cut out the insets for stock, or


even better, give away the template and sell a do-ityourself kit to your customers, suggesting they do their own cutting.

Please emphasize the importance of using the cardboard template to cut out linoleum inset in whatever colours chosen; then use this linoleum inset as a template to cut out the design in the actual floor.

Or cut them yourself and display them in stock.

Guaranteed to be the hottest selling item on your do-it-yourself counter. Good way to use left-over yardage or tiles. Another sales promotion idea—how about distributing cardboard templates to your customers as a premium on the purchase of a certain dollar value in linoleum?



















FACTS ABOUT LINOLEUM OF INTEREST TO:

the architect, the decorator, the

Linoleum is a practical investment for large-area purchases. Over fifty years of extensive use in schools, hospitals, business buildings and homes — and

schools, hospitals, business buildings and nomes — and

St. Rene-Goupil School, Ville St. Michel, Montreal.

linoleum is still considered a safe, sure, eminently worthwhile buy.

Main reason for linoleum's continuing popularity is a simple one. Linoleum is a "natural" flooring, composed of ingredients which do not shrink, harden or otherwise deteriorate through age. This product sheds scorch marks easily, resists scuffing, ordinary scratch marks tend to fill in while more serious ones can be removed.

With newer adhesives and methods of application which simplify installation, contracting has become more proficient. With availability in several thicknesses, in sheet-goods, tiles and other cut forms, linoleum has a versatility of selection in price and quality that is difficult to match.

Linoleum is a maintenance man's flooring. Maintenance of floors in large areas can be costly, but if rules are followed properly, care of linoleum can save money, particularly in terms of several years. If waxed and polished correctly at the outset, linoleum need only be refinished



Montreal Children's Hospital, Staff Dining Room.

usiness executive, the educator...

traffic is heavy. Other maintenance sists mainly of mopping and polishing. ite for our easy to follow technical flet on this subject.

oleum is a decorator's flooring. ain, due to its composition, linoleum is most versatile flooring manufactured, erms of design. It is easy to cut into any tern imaginable, from simple, tailored arrangements to curved abstract tifs. It is excellent for trademark work. linoleum on walls, table and counter faces as well as floors. For an exclusive, fessionally planned design, use the vices of the Dominion Linoleum Custom sign Department. You will no longer find sh "commercial" type colours in the minion Linoleum ranges. Modernized in ent years, they are as soft, subtle and npletely blend-worthy as the most update paints, wallpapers and furnishings. Today, more than at any other time, leum assures you a wise investment.



Office reception, Northern Bldg., Montreal.



Seaton House, Welfare Center, Toronto.

Many of
Canada's largest
and most up-to-date
buildings have recently
installed Dominion
Linoleum products
... shown here are
only a few.



The Royal Bank of Canada, 102nd Avenue Branch, Edmonton, Alta



Simmons Limited, 3585 Grandview Highway, Vancouver, B.C.



PROJECTS OF DOMINION LINOLEUM


Iraditionally the leader in terms of wear excellence, Dominion Linoleum has made a successful transition, today combining the old-fashioned virtue of quality with the more newly favoured feature of vogue in colour and design.



St. Justine Hospital, 3105 Cote St. Catherine Rd., Montreal, Que.




University Hospital, Saskatoon, Sask.



University of Montreal (Dental Clinic), Montreal, Que.




City of Saskatoon City Hall, Saskatoon, Sask.



Huron Street Public School, 541 Huron St., Toronto, Ont.




The Wawanesa Mutual Insurance Company, 8585 Decarie Blvd., Montreal, Que.



Kingsford Smith School Vancouver, B.C.



The Jewish General Hospital Montreal, Que.




Seaton House, Welfare Centre, George St., Toronto, Ont.



St. Peter's Church, Fort William, Ont.



Bloorville Square Apartments Jarvis St., Toronto, Ont.



City Hall, Windsor, Ont.



The Cockfield Brown Building, Toronto, Ont.



L'Ecole Jardin des Saints-Anges, St. Louis Ave., Lachine, Que.



St. Jean Gualbert Laval sur le Lac, Que.



Northern Building, Dorchester & Guy Sts., Montreal, Que.



The Montreal Children's Hospital, Montreal, Que.



Maisonneuve Hospital, 5415 Blvd. Assomption, Montreal, Que.



Verdun General Hospital, Verdun, Que.



Montreal General Hospital, Montreal, Que.



Wentworth County Court House, Hamilton, Ont.



Vital Grandin Elementary & Junior High School, St. Albert, Alta.

Dominion Linoleum

In order to obtain the best results in laying Dominion Linoleum, it is necessary to have the proper equipment. We illustrate here the complete line of laying tools and accessories which appear on our price list. Each tool is made to the specifications of experts and is standard for its individual purpose.

A Steel Square. B Proper type of hammer for levelling seams, etc. F Cement Spreader with detachable rubber edge.


C 18" Scribing Tool. Permits accurate scribing in places where the ordinary scribers are not wide enough.




E Dividers, for scribing Linoleum to be fitted around pipes, radiators, etc., also against walls and other vertical surfaces.




G Straight Edge. A true, solid piece of steel, 84 inches long. A perfect guide for cutting seams. Does not kink or warp and assures accurate joints.



H Steel Trowel, for spreading cement, especially when doing tile work with Heavy Waterproof Cement.




I Linoleum Truck, for handling Linoleum. All metal construction. Weight - 191/2 lbs.



circles, etc., also for inside and outside scribing.

K Felt Paper. Dry and Impregnated (Waterproof) felt paper made in one yard wide only, 100 linear yards per roll. Dry felt paper, 12 ounces to the square yard. Impregnated paper about 24 ounces to the square yard.



L Linoleum Cutting Knife. Standard wooden handle with special blade 21/2 inches long, designed to assist in the cutting of Dominion Linoleum for floors and walls.



M Special Linoleum Cutting Knife with detachable blade. Extra blades can be supplied at a nominal charge.




aying Equipment



DOMINION

N Waterproof Linoleum Cement assures perfect adhesion if applied properly. Comes in 4-gallon, 1-gallon, 1-quart, 1-pint and ½-pint tins. Can also be supplied in larger containers. Estimate 1 gallon to 10 square yards.


NOTE: Waterproof Linoleum Cement is used to prevent surface water from seeping at the seams.



O Linogrip Adhesive. Recommended for cementing any type of hard surface flooring by the yard or tiles, either over wood or concrete subfloors. Supplied in 4-gallon, 1-gallon, 1-quart, 1-pint and ½-pint tins. Estimate 1 gallon to 15 square yards.



P Dominion Liquid Wax, gives a lustrous finish to Linoleum. Available in 1-gallon and 1-quart tins.




round moulding without damage.


Q Pinch Bar, approximately 14 inches

long. Most useful for removing quarter-


V Steel ''toothed'' spreader.




S Sand Bags made of heavy duck, for weighing down seams, borders, insets, etc. Packed in lots of 12.





R Linoleum Roller. Made in three sections to permit even pressure and therefore better adhesion. Approximate weights — 100 and 150 lbs. Countersunk axle permits rolling close to vertical surfaces.





T Cove Base Scriber. This handy tool has been designed especially for use against Terrazzo Cove Base. It is small enough to permit scribing in corners too tight for standard tools.





Flooring



Installation

Linoleum, the only resilient flooring
with actual performance testimonials
of over 50 years — an unrivalled
record of endurance.



Today, Dominion Linoleum not only compares favourably with other types of smooth-surfaced floorings, but in most cases shows significant advantages. Its surface is smoother than ever before, making it easier to maintain. Although we still retain our high level of quality, the area of colour has brought many changes. Through continuous design and laboratory experimentation, Dominion Oilcloth & Linoleum Co. Limited has developed methods for the mixing of linoleum ingredients which offer a greatly widened and improved colour range in all linoleum products.

INSTALLATION NOTES

To give the best and longest service a linoleum floor should be properly laid. The information which follows covers the laying of linoleum on suspended concrete subfloors and suspended wood subfloors.

ON SUSPENDED CONCRETE SUBFLOORS

Before the work of installing the linoleum is commenced, the concrete should be carefully swept and all lumps and irregularities removed. Where the surface is too rough for hand scraping and levelling, the building contractor should be required to put the floor in proper condition. A level floor is essential.

On standard construction, the concrete slab should have a cement topping of not less than 1½ inch thickness and a mix no leaner than one part Portland Cement to three parts clean screened sand. Expansion joints that have been cut through top layer of cement must be retrowelled to furnish an even surface.

On monolith construction, the floor slab should be trowelled to a smooth finish, free from high or low spots.

If expansion joints have not been retrowelled as suggested above, they should be filled with plaster of Paris or other non-shrinkable plaster material so that joints will not show through.

If the concrete is resting on "grade" (direct on earth) it should be waterproofed. There are several ways of doing this depending upon local conditions. It is advisable to consult your architect or building contractor who will be conversant with these.

Make sure that concrete floors are tested for dampness and do not contain any fill or aggregate which will retain moisture. Use anhydrous copper sulphate to test above fills.

In no case should the installation of linoleum proceed until proper tests have shown that the concrete is dry.

INSTALLATION OVER SUSPENDED WOOD SUBFLOORS

Any unevenness at butts or joints should be planed smooth and even and, in the case of old floors, badly worn, loose or defective boards should be replaced. Where sanding is necessary to smooth the floor surface, the floor should be sealed with a good wood primer.

Under no circumstances should linoleum be laid over any wood floor that is below grade, directly in contact with the ground or over unexcavated areas unless proper ventilation is provided between ground and floor.

In the case of new construction where the floor is laid specifically for the installation of linoleum, it should be double flooring type brought up to the proper surface below the finished floor level. The lower boards should be securely face-nailed to the joists and laid diagonally over them. The upper boards should be well dried, well seasoned tongue and groove, not less than 34 inch thick with a face not more than 31/4 inches, laid at right angles to the floor joists and toenailed at 18 inch centres with eight-penny steel-cut nails.

PLYWOOD SURFACE

Plywood makes an excellent base for linoleum when used as the upper layer of double floors. Most suitable is Douglas Fir plywood 3/8 inch thick one side finished. Sheets up to 8' x 4' have been found practical, the idea being to have as few joints as possible. Nails should be 11/4" x 14-gauge spiral wire, rosin coated, if possible, spaced at 6-inch centres along the edges, within 1 inch of the joint, and at 8-inch centres through the body of the plywood in staggered rows. All nails should be countersunk.

Plywood sheets 4' x 8' are the most suitable size to handle, and the weatherproof variety should be used especially for country homes. As an added protection against damp earth have a layer of impregnated black felt paper laid between the plywood and rough tongue and groove flooring.

Lay the plywood roughside down, so that the 8' edge runs at right angles to the underfloor, and follow the instructions on this page for nailing.

Sheets should have a snug contact but should not be driven tight—they should be checked for loose spots after nailing. No opening at any joint should be more than 1/8" and all joints should be filled with a reliable filler carefully forced in the opening.

INSTALLATION — After the subfloor has been prepared, dry or impregnated felt paper should first be laid. This paper should be laid with carefully butted joints — all crossjoints to be staggered.

It should be cut to fit all vertical surfaces and applied to the floor with linoleum adhesive, the felt paper being thoroughly rolled into the adhesive with a linoleum roller weighing at least 100 lbs.

After the felt paper is laid, the linoleum should be cut to fit each room accurately and neatly so as to have the minimum of seams. Remember that, wherever possible, linoleum should be laid across the boards.

FELT PAPER — The felt paper, if dry, should weigh approximately 12 ounces per square yard. Where there is any possibility of surface dampness or moisture, impregnated felt paper with a minimum weight of 24 ounces per square yard should be used.

FITTING — The linoleum should be trimmed or cut to fit accurately and snugly at all walls, pipes, radiators or other fixtures by the use of scribers or dividers.

CEMENT AND ADHESIVES — Dominion Linogrip or Dominion Waterproof Cement, made especially for linoleum is recommended.

SEAMS — When laying sheet goods all lengths of linoleum should be overlapped from ½ inch to ¾ inch and the seam made by cutting through both thicknesses at the same time in a straight line, either by use of a chalk line or straight edge.

For patterned linoleum, follow instructions given in our new Layers' Guide.

WEIGHTING AND ROLLING — Immediately after laying, the floor should be rolled from the centre out, until all air bubbles are removed and complete adhesion assured. It is recommended that a Dominion Linoleum Roller, or a linoleum roller weighing at least 100 lbs. be used — or a Dominion Linoleum Truck Roller. Sand bags can also be used but care should be taken to avoid scratching the surface.

All seams, borders or tiles should be properly weighted by use of sand bags until the adhesive has set. Edges and joints should be thoroughly rolled to assure a tight, even, workmanlike seam.


Where cross seams are necessary, they should be finished last. The linoleum should be lapped after pasting to within approximately six inches of where the seam is made. In all cases, EXCESSIVE BENDING OF THE LINOLEUM SHOULD BE AVOIDED.

PROTECTION — After floors have been inspected and approved, they should be covered with heavy paper or canvas in rooms where painting or other work is still to be done, or where there is any traffic, until the building is ready for occupancy.

After installation all traces of cement or adhesive should be removed, the floor thoroughly cleaned and then waxed and polished with Dominion Liquid Wax or its equivalent — two coats preferably. The use of varnish or other high gloss finishes is not recommended.

If further information is required regarding the installation of linoleum write for our Linoleum Installation Manual.

GLIDERS — All resilient floors require protection against indentation from furniture legs. To guard against spot impressions on linoleum, remove any sharp leg rests and replace with the neat, flat furniture glides sold for this purpose. Also replace hard, narrow rollers with soft, wide rubber rollers.




SEND FOR BOOKLETS

ON

LINOLEUM INSTALLATION AND MAINTENANCE

Address


DOMINION OILCLOTH & LINOLEUM CO. LIMITED, MONTREAL



DOMINION LINOLEUM

Cove Base

AND COUNTER TOPPING




John Rennie High School, Point Claire, Que. Home Economics class: Linoleum Counter topping H-774.

Streamlined floors and counters. Dominion Linoleum provides a modern solution to unattractive wall and counter edges.

With COVE BASE, surface meets wall with one sealed,

With COVE BASE, surface
meets wall with one sealed,
hygienic and
finished-looking sweep.

COVE BASE requires no baseboard—automatically eliminates that dust-catching joint at the floor wall.




Metal Corners for Cove Base Installation

COVE BASE works equally well in finishing off counters. It makes an attractive (and sanitary) continuation into splash boards.

Ideal for both domestic and commercial installation.

DOMINION LINOLEUM . . . more resistant to scratches . . . sheds burns . . . creates original interiors

Accessories



THE ACCESSORIES SHOWN ABOVE ARE CARRIED IN STOCK

- A—Outside square metal corner—Height 6 inches.

 Available black enamelled finish, natural aluminum or cast iron.
- B—Inside round metal corner—Height 6 inches.

 Available black enamelled finish, natural aluminum or cast iron.
- D—Combination stainless steel or chrome, and linoleum edging for tables, desks and sink tops.
- E—Stainless steel or chrome moulding used around sink to prevent water from running under lino-leum top.

- F-Oak nosing for desk and table tops.
- **G**—Rubber nosing for AA and AAA Gauge.
- H—Chrome edge or stainless steel chrome finish moulding for top of cove.
- I-Wood cove moulding feather edge.
- J-Oak nosing used also as stop protectors.

Yardage Calculator

Size of Rooms in Feet	Square Yards Required	Gals. Lino Paste No Felt	Liquid Wax Required (one coat)	Size of Rooms in Feet	Square Yards Required	Gals. Lino Paste No Felt	Liquid Wax Required (one coat)
6' x 6'	4-1/6	1/2	1 pt.	12' x 18'	24-1/3	2½	1 qt.
6'6 x 6'6	5-1/3	1/2	1 pt.	13' x 13'	20	2	1 pt.
7' x 7'	6-1/3	1/2	1 pt.	13' x 15'	22-1/6	2½	1 qt.
7'6 x 7'6	7-1/6	3/ ₄	1 pt.	13' x 16'	23-5/6	2½	1 qt.
8' x 8'	8-1/3	3/ ₄	1 pt.	13' x 18'	26-1/2	2¾	1 qt.
8'6 x 8'6	8-5/6	3/ ₄	1 pt.	14' x 14'	23-1/6	2½	1 qt.
9' x 9'	9-1/3	1 1 1	1 pt.	14' x 15'6	25-1/3	2½	1 qt.
9'6 x 9'6	11-1/3		1 pt.	14' x 17'	28-1/2	2¾	1 qt.
9' x 10'	10-1/6		1 pt.	15' x 15'	25-1/2	2½	1 qt.
9' x 11'	11-1/3	1 1/4	1 pt.	15' x 16'	27-1/6	2 ³ / ₄	1 qt.
9' x 12'	12-1/3	1 1/4	1 pt.	15' x 17'	28-5/6	3	1 qt.
9' x 13'	13-1/3	1 1/4	1 pt.	15' x 19'	32-1/6	3	1 qt.
9' x 14'	14-1/3	1½	1 pt.	15' x 22'	37-1/6	3 ³ / ₄	1 qt.
9' x 15'	15-1/3	1½	1 pt.	16' x 16'	30	3	1 qt.
9' x 16'	16-1/3	1½	1 pt.	16' x 18'	32-1/2	3 ¹ / ₂	1 qt.
9' x 17'	17-1/3	1 ³ / ₄ 2 1 ¹ / ₄	1 pt.	16' x 20'	38-1/3	3 ³ / ₄	1 qt.
9' x 18'	18-1/3		1 pt.	16' x 24'	43-1/3	4 ¹ / ₂	1 qt.
10' x 10'	12-1/2		1 pt.	17' x 17'	34-1/2	3 ¹ / ₂	1 qt.
10'6 x 10'6	13-1/2	1 1/4	1 pt.	17' x 20'	40-1/2	4	1 qt.
10' x 12'	13-2/3	1 1/2	1 pt.	17' x 24'	46	4	1 qt.
10' x 13'	15-1/3	1 1/2	1 pt.	18' x 18'	36-1/2	3 ³ / ₄	1 qt.
10' x 14'	16	1½	1 pt.	18' x 22'	44-1/2	4½	1 qt.
10' x 15'	17-1/3	1¾	1 pt.	18' x 24'	48	5	1 qt.
10' x 16'	19-1/3	2	1 pt.	19' x 19'	41-2/3	4¼	1 qt.
10' x 17'	20-1/2	2	1 pt.	19' x 24'	51-1/3	5	1½ qt.
11' x 11'	15	1½	1 pt.	20' x 20'	45-1/6	4 ³ / ₄	1 qt.
11' x 12'	15	1½	1 pt.	20' x 22'	49-5/6	5	1½ qt.
11' x 14'	19	2	1 pt.	21' x 21'	49-2/3	5	1½ qt.
11' x 15'	19	2	1 pt.	22' x 22'	56-1/6	5½	1½ qt.
11' x 16'	21-2/3	2½	1 pt.	24' x 24'	64-2/3	6¼	1½ qt.
11' x 18'	24-1/3	2½	1 qt.	25' x 25'	70-2/3	71/4	1½ qt.
12' x 12'	16-1/2	1½	1 pt.	26' x 26'	73-1/3	71/2	2 qt.
12' x 13'	17-2/3	1¾	1 pt.	27' x 27'	82	81/4	2 qt.
12' x 14'	19	2	1 pt.	28' x 28'	89-1/3	9	2 qt.
12' x 15'	20-1/3	2	1 pt.	29' x 29'	97-1/2	9½	2 qt.
12' x 16'	21-2/3	21/4	1 pt.	30' x 30'	100-5/6	10	2 qt.

These figures are for plain goods and marbles.

Allowance will have to be made on some if marble Jaspé graining has to run all one way.

Allowance will have to be considered for pattern goods.

ESTIMATING TILE QUANTITIES

Number	N	JMBER OF TI	LES REQUIRE	ED	
of Square	6"	71/2"	9"	12"	
Feet in	X	x	x	x	
Room	6"	71/2"	9"	12"	
6	24	16	11	6	
9	36	24	16	9	
15	60	39	27	15	
21	84	54	38	21	
24	96	62	43	24	
28	112	72	50	28	
32	128	82	57	32	
36	144	93	64	36	
40	160	103	72	40	
45	180	116	80	45	
50	200	128	89	50	
52	208	134	93	52	
54	216	139	96	54	
	240	154	107	60	
60	252	162	112	63	
63	264	169	118	66	
66	280	180	125	70	
70	308	198	137	77	
77	336	216	150	84	
84	384	246	171	96	
96	400	256	178	100	
100	440	282	196	110	
110	520	333	232	130	
130	576	369	256	144	
	624	400	278	156	
156	676	433	301	169	
182	728	466	324	182	
195	780	500	347	195	
	832	533	370	208	
208	864	553	384	216	
216	884	566	393	221	
221	936	600	416	234	
234	960	615	427	240	
240	988	633	439	247	

Available in Marboleum, Jaspé and Handicraft Linoleum

9" x 9" tiles carried in stock, 12" x 12"

Handicraft and Tilecraft tiles, "A" Gauge, felt back also stocked, other sizes on request. Battleship linoleum 9" x 9" tiles cut to order in all colours.

NUMBER OF SQ. FEET PER TILE

 $6'' \times 6''$ — .25 square foot $7\frac{1}{2}'' \times 7\frac{1}{2}''$ — .390625 square foot $9'' \times 9''$ — .5625 square foot $12'' \times 12''$ — 1.00 square foot

HOW TILES ARE PACKED

Number	6"	71/2"	9"	12"	
of				1 Z	
Cartons	6"	7½"	9′′	12"	
1	65	661/2	561/4	72	
2	130	133	1121/2	144	
3	195	1991/2	1683/4	216	
4	260	266	225	288	
5	325	3321/2	2811/4	360	
6	390	399	3371/2	432	
7	455	4651/2	3933/4	504	
8	520	532	450	576	
9	585	5981/2	5061/4	648	
10	650	665	5621/2	720	
11	715	7311/2	6183/4	792	
12	780	798	675	864	
13	845	8641/2	7311/4	936	
14	910	931	7871/2	1008	
15	975	9971/2	8433/4	1080	
16	1040	1064	900	1152	
17	1105	11301/2	9561/4	1224	
18	1170	1197	10121/2	1296	
19	1235	12631/2	10683/4	1368	
20	1300	1330	1125	1440	
21	1365	13961/2	11811/4	1512	
22	1430	1463	12371/2	1584	
23	1495	15291/2	12933/4	1656	
24	1560	1596	1350	1728	
25	1625	16621/2	14051/4	1800	
26	1690	1729	14521/2	187	
27	1755	17951/2	15183/4	194	
28	1820	1862	1575	201	
29	1835	19281/2	16311/4	2088	
30	1950	1995	16871/2	2160	
31	2015	20611/2	17433/4	223	
32	2080	2128	1800	230	

Available in Marboleum, Jaspé and Handicraft Linoleum

9" x 9" tiles carried in stock, 12" x 12"

Handicraft and Tilecraft tiles, "A" Gauge, felt back also stocked, other sizes on request. Battleship linoleum 9" x 9" tiles cut to order in all colours.

NUMBER OF TILES TO SQ. YARD

 $6'' \times 6''$ — 36 tiles to square yard $7\frac{1}{2}'' \times 7\frac{1}{2}''$ — 24 tiles to square yard $9'' \times 9''$ — 16 tiles to square yard $12'' \times 12''$ — 9 tiles to square yard

Table of DOMINION Gauges

WIDTHS, LENGTHS, WEIGHTS


Product	Gauge	Thickness in m.m.	Approx. Thickness in inches	Width in yards	Approx. Yardage in sq. yd.	Approx. Shipping Weight per roll	Approx. Weight per sq. yd
DOMINION BATTLESHII	LINOLI	EUM — M	ARBOLEUM	M, JASPÉ,	HANDICI	RAFT	
Raifleship on Canvas	AA	4.50	3/16	2	60	610	10.17
California Convertation Convertation	Α	3.20	1/8	2	60	420	7.00
Canvas	AA	4.50	3/16	2	60	625	10.42
Canvas	Α	3.20	1/8	2	60	440	7.33
Felt	Α	3.20	1/8	2	60	445	7.42
	Domestic	2.05	5/64	2	60	270	4.50
— Canvas Back	AA	_	_	2	60	625	10.42
— Canvas Back	A	_	_	2	60	440	7.33
Handicraft — Canvas Back	AA	_	_	2	60	625	10.42
Handicraft — Felt Back	A	_	_	2	60	445	7.42
Handicraft — Felt Back	Domestic	-	-	2	60	270	4.50
DOMINION JASPÉ, H			LEUM AN		LEUM TIL	ES	
70 tiles per box	AA	4.50	3/16	_	-	48	_
100 tiles per box	A	3.20	1/8	_	_	45	-
125 tiles per box	Standard	2.50	3/32	_	_	45	-
150 tiles per box	Domestic	2.05	5/64	-		45	-
SITINION LINOLEUM TILES, HAN			LECRAFT - × 12" tile		UGE ONL	Y — FELT	BACK
72 Mengerbox	A	3.20	1/8	-	-	59	-
	c	ORK CAR	PET				
Brown, Green and Grey	A	6.50	1/4	_	50	_	10.00
Brown, Green and Grey	В	4.65	3/16	-	60	-	8.00
DOMINION INLAID	TILING	INLAID	AOIII DED	INU AUD			
DOMINION INLAID Inlaid Tiling — Felt Back							
Inlaid Moulded — Canvas Back				2	60	270	4.50
Inlaid Embossed — Canvas Back					60	300	5.00
Culifus buck				2	60	330	5.50

Dominion Linoleum Cements

and Wax

Highly recommended for correct installation and maintenance

WATERPROOF LINOLEUM CEMENT



IMPORTANT: Linoleum adhesive should not be spread too far ahead of the actual installation of the goods. Adhesive must at all times be "tacky" and in a condition to provide a proper grip.

		e of				No. Units per carton	Average Weight in lbs. per carton
Half Pints						12	13
Pints						12	21
Quarts .						12	42
Gallons .						4	56
Four-Gallo	n	Dr	un	15		per drum	57



WATERPROOF

Linoleum


ONE GALLON

Cement

LINOGRIP 55 LIQUID ADHESIVE

Recommended for cementing any type of hard surface flooring by the yard or tiles, over either wood or concrete subfloors. Estimate 1 gallon to 15 square yards. Linogrip should be at least 70°F. before using. After Linogrip is spread on the floor it is recommended to wait a few minutes before installing tiles as adhesive must at all times be "tacky".

Size of containers							No. Units per carton	Average Weight in lbs. per carton
Half Pin	its						12	15
Pints .							12	26
Quarts							12	50
Gallons							4	62
Four-Go	ılle	on	Dr	un	15		per carton	65



DOMINION LIQUID WAX

Dominion Liquid Wax gives a lustrous finish to linoleum and is highly recommended as a maintenance wax of hard and durable quality.

Available in 1-gallon and 1-quart cans.

Size of containers								No. Units per carton	Average Weight in lbs. per carton
Quarts								12	33
Gallons								4	40

The Care of Linoleum

BASIC PROTECTIVE COATING

A basic protective coating to Dominion Linoleum flooring means assurance of the lowest possible labour (and maintenance costs). The procedure is as follows: To remove surface dirt and grime accumulated during installation, wash the new Dominion Linoleum floor with mild soap and warm water. Make sure, however, that the new floor has had at least a day to "set" before washing. After washing, rinse with clean water and clean mop.

Once the floor is thoroughly dried, apply one thin coat of a good liquid (not self-polishing) or paste wax, preferably with a petroleum base. It is important that Dominion Wax or a similar brand which does not contain turpentine or water base is used. Each area should be evenly polished, with an electric polishing machine after it has had time to dry. The entire procedure should be repeated a second time so that a hard-wearing surface may be built up.

REGULAR MAINTENANCE IS EASY

The Sales

Encaped with a broom or dry mopping is all that is needed for day-to-day care.

WARLY

Heavy traffic areas in entrance ways, under desks, in hall-ways, etc., will possibly require weekly mopping with clean warm water and a clean mop. Washing should be followed

by an immediate buffing until the floor is dry. If necessary, the washed areas may be given a very thin coat of wax after drying, and polished to match the rest of the floor area. It is not necessary to re-wax where your floor is not used, such as close to walls, under furniture, etc. You will usually find that a once-a-week polishing without wax is both desirable and adequate for maintaining the overall area — depending, of course, on the amount of daily traffic it receives.

PERIODIC MAINTENANCE

The number of times a year linoleum floors must be entirely re-done — cleaned, re-waxed, re-polished — will be determined by the amount and kind of traffic to which they

are subjected. Once in every six- to ten-week period should ordinarily be found sufficient.

CLEANING

SOAP AND WATER

Harsh soaps and certain very-strong detergents are harmful to linoleum. Whatever cleaning agent is used it should be well rinsed and dried thorough-backward. (A linseed oil soap is a good one to use.)

WAX CLEANER

Soop and water cleaning can be eliminated by using a figured wax cleaner. The wax cleaner softens and loosens collected dirt and grime, permitting it to be wiped up easily with a clean cloth. Although a thin rewaxing is sometimes necessary, there will usually be enough wax left to polish the affected areas satisfactorily.

VARSOL


Another method of cleaning, usually in areas of excessively heavy, dirty traffic, is Varsol, and/or rubbing with steel wool. Follow-up by washing with a clean mop and clean water. Allow the linoleum to dry, then wax the area and polish to match the rest of the floor area.


TIPS

Dirty wax sometimes builds up around baseboards, heavy furniture, file cabinets, etc. To avoid this possibility, stop short your application of wax some sixteen to twenty inches from walls, cabinets, etc. The action of your polishing machine will spread the wax from the main area onto these non traffic sections. And make it a point to apply only thin coats of wax — whatever the occasion. Thick wax coatings will always collect dirt.

PROTECTION

Linoleum should be protected against indentation from furniture legs (this applies as well to all resilient floors). Remove any sharp leg rests and replace with flat furniture glides. Also replace hard, narrow rollers with soft, wide rubber rollers.





General Information

Widths: Patterns shown can be supplied only in the gauges and widths printed beside each pattern. AA Marboleum, Jaspé and Handicraft made to order in minimum quantity of 1200 sq. yds.

Lengths: All lines are rolled in lengths of about 30 yards, with the exception of Rexoleum (standard quality) and Belflor, which are approximately 40 yards; A Cork Carpet which comes in lengths of approximately 25 yards.

Size of Patterns: The majority of patterns in this book are reproduced 1/5 and 1/6 actual size, the exceptions being: Jaspé, Marboleum, Handicraft, Rugs and Mats.

How Rolled: All lines are supplied "FACE OUT".

Substituting: In order to prevent the possibility of delay in filling an order, we recommend allowing us to substitute nearest pattern in case the design wanted should not be in stock.

Care in Unrolling: All floor coverings may crack or break if unrolled when cold, or if allowed to fall heavily on the floor. In cold weather the goods must be left at least twenty-four hours in a warm room before handling.

Claims for Damages: Our goods are all carefully inspected before shipment, and should they be damaged in transit through rough handling, etc., mention the fact on the Transportation Co.'s releasing papers over your signature and file claim against the carriers, as in such cases we are in no way responsible.

Telegraph Code: To designate design number of each pattern see list of CODE WORDS on pages 72 and 104 and the following CODE FOR WIDTHS is to be used in conjunction therewith:

Code word for 18" width . . . "WAMPUM"

Code word for 24" width . . . "WARBLE"

Code word for 27" width . . . "WARBLE"

Code word for 36" width . . . "WARDEN"

Code word for 2 yards width . . . "WELKIN"

Code word for 3 yards width . . . "WHELTER"


Code word for 4 yards width . . . "WHELMING"

Quantity: To designate quantity required, use merely the words "five, six, seven," etc., as the word "pieces" will not be necessary.

Example: "SIX WELKIN DEFOREST" means "Six pieces 2 yards wide, Pattern 0127.

NOTICE: To avoid possible cold cracks, always roll goods "FACE OUT".

Sand bags must be used when laying canvas back linoleum.



HOW TO DETERMINE YARDAGE IN ROLL GOODS

Simply measure the mean diameter in inches from the outside of the roll to the inside. Be sure to measure through the opening in the roll on the inside. Count the number of turns in the roll. Use the following plan to get the number of square yards in the roll.

For 6-foot material: If A to B is 8'', for example, and there are 30 turns in the roll, multiply $8 \times 30 \times 0.175$ for the number of square yards in the roll. The answer is 42 square yards.

For 9-foot material: if A to B is 8'' and there are 30 turns in the roll, multiply $8 \times 30 \times 0.26$. The answer is 62.4 sq. yds.

For 12-foot material: if A to B is 8'' and there are 30 turns in the roll, multiply $8 \times 30 \times 0.35$. The answer is 84 sq. yds.

Here are the modern plant and office o

Dominion Oilcloth & Linoleum Co. Limited Montreal

Still Growing...

from 1 acre in 1872 it has extended to 20 acres in 1959

Dominion Oilcloth & Linoleum

remoded as a small oilcloth manufacturing firm over 87 years ago by a group of enterprising Canadians, this Graphics enjoyed great growth and kept pace with Canada's economic expansion and population increase. Taday the company is Canada's largest producer of linoleum in sheet goods and tiles as well as many associated products and ranks high among the world manufacturers of fine flooring. Dominion Oilcloth & Linoleum Co. Limited today occupies over 1,000,000 square feet of floor area with more than 16,000,000 square feet of buildings. Factory operations are almost completely mechanized, are supervised by highly trained specialists. Modern new shipping facilities are in operation. A styleminded staff of design and colour experts are continually working on new designs, patterns and colours. An idea-





Co. Limited

sparking marketing department keeps its finger on flooring preferences of Canadian homemakers, businessmen, merchandisers and architects.

In the first years of its operation, Dominion Oilcloth & Linoleum Co. Ltd. produced oilcloth for floor covering. Thirty years later the company began manufacturing linoleum — a thick, homogeneous compound of cork, linseed oil, gum, fillers and colouring matter. The linseed oil content of the new linoleum product was its only relation to the oilcloth which the company had been producing.

"Battleship" was the first linoleum manufactured by the company. Through the years, other linoleum type floorings were added — Marboleum, Jaspé, Handicraft and

associate products. In recent years tile has become increasingly popular for home, business and institutional use and, now, linoleum tile represents an important part of the company's total linoleum output.

The main company products are linoleum, enamelled felt base floor covering, table oilcloth and kindred products, printed plastic film and the latest additions, vinyl tile and asphalt tile.

Now one of the largest all-Canadian manufacturing firms in any industry, Dominion Oilcloth & Linoleum continues its policy of increasing production to keep pace with Canada's rapid growth and the increasing popularity of the company's products in the consumer, commercial and institutional markets.

Code Words

When ordering by wire, use the following Code Words:

		DOMINION BAT	TLESHIP LIN	OLEUM		1		DOMINION JA	SPÉ LINOL	EUM	
Pattern	Gauge	Code	Pattern	Gauge	Code	Pattern	Gauge	Code	Pattern	Gauge	Code .
Light Green		"LEBADOR"	Black	AA	"LAMABLE"	J-746	A	"INAM"	J-735	Standard	"INAXENA"
	A	"LEBAFLE"		A	"LAMACK"	J-745	A	"INALWAYS"	J-726	A	"INAVUM"
Terra Cotta		"LABATE" "LAGAN"	Light Blue	A	"LAPSE" "LEDAIX"	J-744	Standard	"INALMS"		Standard	"INAVY"
Grey	AA	"LACONICA"	Red	A	"LARGO"	J-743	Standard	"INALMOST"	J-725	A Standard	"INAVOTUS" "INAVOTUVY"
	A	"LABIAL"	Yellow	A	"LAFIR" "LAVISH"	J-741	Standard	"INALMOND"	1 724	A	"INAVOS"
Brown	A A	"LABURN" "LACK"	Orange Dark Blue	A	"LANCE"			"INALMA"	J-724		
The Carrie		"LABEO"	Buff	A	"LECTERN"	J-740	Standard		J-723	A Standard	"INAVIRA" "INAVIP"
	û	"LACTEAL"	Maroon	A	"LEDAME"	J-739	A	"INABASE"	J-721	A	"INAVELT"
						J-738	A Standard	"INABITE" "INABLET"	3-721	Standard	"INALLIED"
		COD	K CARPET			J-737	A	"INAZETES"	J-712	A	"INATROY"
	Eleage	Code	Pattern	Gauge	Code		Standard	"INAZISS"	J-708	A	"INASEAL"
				A	"LAROUGE"	J-736	A	"INAZAMA"		Standard	"INASAE"
1 AC 13	AB	"LABRA" "LAGGER"	Grey	В	"LAROWELL"		Standard	"INAZEM"	1		
Regivi Creor	: A	"LAROSIN"						DOMINION HAN!	DICRAFT LII	NOLEUM	
	В	"LAROSY"				Pattern	Gauge	Code	Pattern	Gauge	Code
						H-787	A Standard	"INAMONG" "INAMICE"	H-775	A Standard	"INADVICE" "INAFIX"
		"TILECRAFT"	LINOLEUM	TILES		H-786	A	"INAMEN"		Domestic	"INADVENT"
Pattern		Code	Pattern		Code		Standard	"INAMEER"	H-774	A	"INADROIT"
5205		"TILABUSE"	5202		"TILABLE"	H-785	A	"INAMBIT"		Standard	"INAKIN"
5204 5203		"TILABOVE" "TILABOARD"	5201 5200		"TILABASH" "TILABACA"		Standard Domestic	"INAMBARY" "INAMBLE"	H-773	A Standard Domestic	"INADOPT" "INAGILE" "INAMAIN"
						H-784	A Standard	"INALVINE" "INALUM"	H-772	Standard	"INAFORE"
		MA	RBOLEUM			H-783	A	"INALTAR"		Domestic	"INADIEU"
Pattern	Gauge	Code	Pattern	Gauge	Code		Standard Domestic	"INAMAZE"	H-771	A Standard	"INALERT" "INALEC"
M-28	A	"NAXCARDAN"	M-99	Α	"NAXBOUT"	H-782	A	"INALOE"		Domestic	
	Standard	"NAXCARBON"	M-92	Α	"NAXBANT"		Standard	"INALOOF"	H-770	A Standard	"INADAM" "INAGLOW"
M-27	A Standard	"NAXCAR" "NAXCAPTOR"		Standard Domestic	"NAXBAY" "NAXBAUR"	H-778	A	"INAID"		Domestic	"INACME"
	Domestic	"NAXCAPRI"	84.01				Standard Domestic	"INAHOY" "INAHEM"	H-768	A	"INABOY"
M-26	A	"NAXCAPPER"	M-91	A	"NAXAVIT"	H-776	A	"INAEON"		Standard	"INALFA"
	Standard	"NAXCAPON"	M-89	A Standard	"NAXAROL" "NAXCANFUL"	11-770	Standard	"INAFAIR"	H-762	A	"INAXANY"
19-25	4	"NAXCAPLESS"	88.00				Domestic	"INAMASS"		Standard	"INAGREE"
	Standard	"NAXCAPE"	M-88	A	"NAXANUL"					Domestic	"INAYEZ"
N. 24	Α	"NAXCANVAS"	M-87	A Domestic	"NAXALT" "NAXAMY"			OMINION INLAID	LINOLEUM	(TILING)
	Standard Domestic	"NAXCANULA" "NAXCANUCK"	M-85	A	"NAXAFAR"	Pattern	Gauge	Code	Pattern	Gauge	Code
M-25			INI-03	Standard	"NAXAGOG"	7435	Domestic	"INRECEASE"	7431	Domestic	"INRECAUCUS"
10-23	A Standard	"NAXCANTER" "NAXCANT"	M-81	A	"NAVIAL"	7434	Domestic	"INRECAVIL"	7430	Domestic	"INRECATTLE" "INRECAT"
	Domestic	"NAXCANON"		Standard	"NAVITO"	7433 7432	Domestic Domestic	"INRECAULK" "INRECAUDAL"	7429 7428	Domestic Domestic	"INRECASUAL"
M-22	A	"NAXCANNEL"		Domestic	"NAVEST"						
M-21	A	"NAXCANNA"	M-80	A	"NAVALON"		DU	MINION INLAID	A STATE OF THE STA	FWR022F	
M-20	A	"NAXCANCER"		Standard Domestic	"NATUFA" "NATUCK"	Pattern		Code	Pattern		Code
	Standard	"NAXCANE"	BA 70			8746		"BOSACENSE"	8744		"BOSACCROC"
M-19	A	"NAXBUSE"	M-76	A	"NASUBAR"	8745		"BOSACCU"	8743		"BOSACCORD"
	Standard	"NAXBUTOR"	M-53	A Domestic	"NAGILE"		DO	MINION INLAID	LINOLEUM	(MOULDE	D)
M-18	A	"NAXBULL"	NA 40		"NAKCAB"	Pattern		Code	Pattern		Code
	Domestic	"NAXCALL"	M-49	A	"NAFLAME"	7048		"INPITIE"	7039		"INPICA"
	A	"NAXBUZZ"	M-43	A	"NABOVE"	7047		"INPIS"	7037		"INPIANO"
M-17	01	"NAXCANDLE"	M-39	A	"NABED"	7046		"INPIQUET"	7036		"INPIAF"
M-17	Standard Domestic		55	C1-1-1	UNADDIEU	/045		INPIPE	///////////////////////////////////////		"INPESON"
	Domestic	"NAXBUYER"		Standard Domestic	"NACRIB"	7045 7044		"INPIPE" "INPIN"	7026 7024		"INPESON" "INPERSE"
M-17 M-13				Standard Domestic	"NACRIB" "NACREW"						



Rexoleum (GRAVURE)

(GRAVURE)

A "first" with Dominion Linoleum — Authentic rotogravure designs sealed under layers of special-formula varnish . . .

Factory tested for wearability and easy cleaning — Available in new beige tones and other popular colours.


This range is featured 1/6 actual size.

LINOLEUM . . . more resistant to scratches . . . sheds burns . . . creates original interiors

Rexoleum (Gravure) 2404.



REXOLEUM (GRAVURE)










REXOLEUM (GRAVURE)











of Rexoleum

DE LUXE QUALITY

No expensive laying costs or hard work—
Gleams even without waxing—
Available in 12 modern designs . . .

36 colour combinations.

This range is featured 1/6 actual size

STANDARD QUALITY


Practical, inexpensive floor covering— Leads in the economy-budget field— 10 patterns available . . . 22 colour combinations.

This range is featured 1/8 actual size

DOMINION LINOLEUM . . . more resistant to scratches . . . sheds burns . . . creates original interiors.

Rexoleum (de Luxe) by the yard 0182






0184

2 YARDS WIDE



0182

2 YARDS WIDE



0183

2 YARDS WIDE




0181

2 YARDS WIDE




0180 2 AND 3 YARDS WIDE



0178

2, 3 AND 4 YARDS WIDE



O179 2 AND 3 YARDS WIDE




0177

2, 3 AND 4 YARDS WIDE




0176

2, 3 AND 4 YARDS WIDE



0174

2 YARDS WIDE




0175

2 YARDS WIDE



0173

2 AND 3 YARDS WIDE



0172

2 AND 3 YARDS WIDE




O171 2 AND 3 YARDS WIDE




0163

2, 3 AND 4 YARDS WIDE




0161

2, 3 AND 4 YARDS WIDE




0158

2, 3 AND 4 YARDS WIDE




0155

2 YARDS WIDE




0156

2, 3 AND 4 YARDS WIDE



0128

2, 3 AND 4 YARDS WIDE



0127

2, 3 AND 4 YARDS WIDE



0096

2 AND 3 YARDS WIDE



0097

2, 3 AND 4 YARDS WIDE Page 94, rug to match 0469



0094

2, 3 AND 4 YARDS WIDE Page 94, rug to match 0470





0086 2 YARDS WIDE



O103 2 YARDS WIDE also available 36", 27" and 18" Wide



O101 2 YARDS WIDE also available 36", 27" and 18" Wide



R-62



R-60



R-61



R-59



R-58



R-56




R-57




R-55




R-54




R-52 Page 90, passage to match RP-150



R-53 Page 90, passage to match RP-151



R-51



R-50



R-45

Page 90, passage to match RP-148



R-49



R-44

Page 90, passage to match RP-149



R-42



R-40



R-41



R-38



R-30

2 YARDS WIDE



R-19 2 YARDS WIDE also available 36", 27" and 18" Wide


More about REXOLEUM STANDARD . . .


The big advantage of this economical Rexoleum line is its unusual and numerous patterns . . . made possible by the manufacturing process itself.

Colours are bright, clear and expressed in highly imaginative designs.

REXOLEUM PASSAGE, shown on the following page, blends or dramatically contrasts with the other Rexoleum patterns. Designed specifically for hallways, entrances, hard-wearing for heavy traffic. Available in 18", 24", 27" and 36" widths.


Rexoleum "Passage" STANDARD





24 and 36 inches wide

Page 86, Yard Goods to match R-53



RP-150

24 and 36 inches wide

Page 86, Yard Goods to match R-52



RP-149

27 and 36 inches wide

Page 87, Yard Goods to match R-44



RP-148

27 and 36 inches wide

DE LUXE QUALITY

Page 87, Yard Goods to match R-45



R-19

18, 27 and 36 inches wide

Page 89, Yard Goods to match R-19



0103

大学校园园园园园

18, 27 and 36 inches wide
Page 83, Yard Goods to match 0103



0101

18, 27 and 36 inches wide
Page 83, Yerd Goods to match 0101

Rexoleum Rugs

Carpet-like effects at economy prices . . .

no cutting or laying required . . .

16 actual carpet designs with effective borders

7 sizes available.

This range is featured 1/9 actual size.

DOMINION LINOLEUM . . . more resistant to scratches . . . sheds burns . . . creates original interiors

Rexoleum Rug 0484 with Rexoleum (De Luxe) 0103





0484

6 x 9 ft. 7½ x 9 ft. 9 x 9 ft. 9 x 10½ ft. 9 x 12 ft. 9 x 13½ ft. 9 x 15 ft.




0483

6 x 9 ft. 7½ x 9 ft. 9 x 9 ft. 9 x 10½ ft. 9 x 12 ft. 9 x 13½ ft. 9 x 15 ft.



0482

6 x 9 ft. 7½ x 9 ft. 9 x 9 ft. 9 x 10½ ft. 9 x 12 ft. 9 x 13½ ft. 9 x 15 ft.



0481

6 x 9 ft. 7½ x 9 ft. 9 x 9 ft. 9 x 10½ ft 9 x 12 ft. 9 x 13½ ft. 9 x 15 ft.



0480

6 x 9 ft. 9 x 12 ft. 7½ x 9 ft. 9 x 13½ ft. 9 x 9 ft. 9 x 15 ft. 9 x 10½ ft.



0478

6 x 9 ft. 9 x 12 ft. 7½ x 9 ft. 9 x 13½ ft. 9 x 9 ft. 9 x 15 ft. 9 x 10½ ft.




0477

6 x 9 ft. 9 x 12 ft. 7½ x 9 ft. 9 x 13½ ft. 9 x 9 ft. 9 x 15 ft. 9 x 10½ ft.



0475

6 x 9 ft. 9 x $10\frac{1}{2}$ ft. 7\frac{1}{2} x 9 ft. 9 x 12 ft. 9 x 9 ft.



0474

6 x 9 ft. 9 x 10½ ft. 7½ x 9 ft. 9 x 12 ft. 9 x 9 ft.



0470

6 x 9 ft. 9 x 12 ft. 7½ x 9 ft. 9 x 13½ ft. 9 x 9 ft. 9 x 15 ft. 9 x 10½ ft.

Page 82 — yard goods to match 0094

在非常的原则是不是



0471

6 x 9 ft. 9 x 12 ft. 7½ x 9 ft. 9 x 13½ ft. 9 x 9 ft. 9 x 15 ft. 9 x 10½ ft.



0469

6 x 9 ft. 9 x 12 ft. 7½ x 9 ft. 9 x 13½ ft. 9 x 9 ft. 9 x 15 ft. 9 x 10½ ft.

Page 82 — yard goods to match 0097



6 x 9 ft. 7½ x 9 ft. 9 x 9 ft. 9 x 10½ ft.



9 x 12 ft. 9 x 13½ ft. 9 x 15 ft.

O436 Pink 6 x 9 ft. 9 x 9 ft. 7½ x 9 ft. 9 x 10½ ft. 9 x 12 ft.



0436 Yellow

0467

6 x 9 ft. 7½ x 9 ft. 9 x 9 ft. 9 x 10½ ft. 9 x 12 ft. The second secon

O436 Blue

6 x 9 ft. 7½ x 9 ft. 9 x 9 ft. 9 x 10½ ft. 9 x 12 ft.

Rexoleum Mats



0316B

SUPPLIED IN LOTS

ALSO
AVAILABLE
EIGHT ASSORTED:
TWO EACH OF
0316A, B, C, D

OF

EIGHT ONLY



0316C

SIZE

27 x 54

INCHES



REXOLEUM MATS




0315A



0315B

OF
EIGHT ONLY

ALSO
AVAILABLE
EIGHT ASSORTED:
TWO EACH OF
0315A, B, C, D



0315C

SIZE

27 x 54

INCHES



0315D

REXOLEUM MATS



0253A



0253B



0253C


PACKED

25 PER CARTON,

ASSORTED



0253D





U752A



0252B



0252C

PACKED

25 PER CARTON,

ASSORTED



0252D

SIZE 18 x 36 INCHES

Plastic Counter Topping

AND Wall Covering Available 27" and 54" wide

Counters resist hot water, grease and ordinary household acids . . .

Splash boards are modern, functional and protect your walls . . .

Walls which take rough treatment clean off with a wipe . . . Installation is simple . . . scissors and wallpaste are all you need.

We're proud of this low-priced new line-Adaptable to any budget, any decor.

NOTE: Be careful to instruct against using knives or other sharp instruments on this product. Guard it from hot irons or equally hot objects.

WE RECOMMEND LINOGRIP 55 FOR BEST RESULTS.




CT-70 - 27" wide CW-70 - 54" wide



CT-69 - 27" wide CW-69 - 54" wide




CT-68 - 27" wide CW-68 - 54" wide




CT-67 - 27" wide CW-67 - 54" wide




CT-66 - 27" wide CW-66 - 54" wide




CT-65 - 27" wide CW-65 - 54" wide



CT-64 - 27" wide CW-64 - 54" wide



Rexwall



RW-11

Inexpensive decorative

wall covering . . .

Simulates ceramic tiles with

borders to blend in

modern decors . . .


easy to install . . .

36", 45" and 54" wide,

120 linear feet per roll.


10 colours.


This range is featured 1/2 actual size.




RW-10


REXWALL








RW-08 36" AND 45" WIDE




RW-07 36" AND 45" WIDE



RW-06 54" WIDE



RW-05 54" WIDE



RW-04 54" WIDE



RW-03 54" WIDE



RW-02 54" WIDE

Dominion Wall Coverings

VINYL DOMOLEATHER

A rich, economical wall covering fabric for scores of modern uses.

Almost free of maintenance — the light textured grain and semi-gloss finish resist dirt collection and make it easy to clean, if necessary.

Attractive! Stock Line!

55" wide in a monotone leather-type finish and a modern two-tone finish.

Special colours, finishes and weights readily available for minimum orders of 500 yards.

No painting required.

Contact Dominion Oilcloth & Linoleum Co. Limited for installation recommendations, or consult your experienced wall covering installer.



DOMESTIC GAUGE LINOLEUM WALL TILES

Monotone effect for feeling of spaciousness — textured to create atmosphere of warmth. Easy to keep clean — stocked in easy-to-handle 9" squares.

PLASTIC WALL COVERING (AND COUNTER TOPS)

Expensive-looking effects at economy prices — acid and heat resistant . . . alkali proof.

Easy to keep clean — available in 27" and 54" widths.

See illustrations on page 99.

DOMINION LINOLEUM . . . more resistant to scratches . . . sheds burns . . . creates original interiors

TABLE OF REXOLEUM

Widths, lengths, weights

Product	Width	Approx. Yardage	Approx. Shipping Weight per roll	Approx Weight
REXOLEUM GRAVURE — REXOLEUM DE	LUXE AND	D REXOLEUM	STANDARD	
		Sq. Yd.		Sq. Yd
Rexoleum (Gravure)	2 yards	60	180	3.00
Rexoleum (de Luxe quality)	2 yards	60	180	3.00
	3 yards	80	240	3.00
	4 yards	100	360	3.60
Rexoleum (Standard quality)	2 yards	80	190	2.38
Belflor	2 yards	80	160	2.00
PASSAGE RE	XOLEUM			
Passage Rexoleum (de Luxe quality)		Lin. Yd.		Lin. Yd
Patterns 0103 and 0101 only	18"	30	45	1.50
	27''	30	65	2.17
	36"	30	90	3.00
Passage Rexoleum (Standard quality)	18"	50	60	1.20
	24''	50	80	1.60
	27''	50	90	1.80
	36''	40	95	2.38
		Lin. Ft.		Lin. Ft.
Rexwall (Wall Covering)	54''	120	156	1.30
	45''	120	130	1.08
	36''	120	105	.87
PLASTIC COUNT (and Wall Co		IG		
	overing,	Lin. Ft.		Lin. Ft.
Counter Topping and Wall Covering	27''	90	80	.887
	54''	90	160	1.78
Vinyl Domoleather Wall Covering	55''	36	131/2	
REXOLEUM				
(de Luxe q	uality)	Average Weight per r	oll	
6 x 9		20		
7½ x 9		25		
9 x 9		30		
9 x 10½		35		
9 x 12		40		
9 x 13½				
9 x 15				

The weights listed above are average weights and are subject to slight variations on individual shipments.

Code Words

When ordering by wire, use the following Code Words:

		REXOLEUN	(GRAVURE)		Pattern	Size in Feet	Code	Pattern	Size in Feet	Code
Pattern		Code	Pattern	Code	0480	6' x 9'	"CICAROL"	0470	6' x 9' 7½' x 9'	"CIBREAK" "CIBRAVO"
				"DECARY"		7½' x 9' 9' x 9'	"CICARNEY" "CICARNAC"		9' x 9'	"CIBRAIN"
07		"DEGEAR"	2403	"DEGAPY"		9' x 9' 9' x 10½'	"CICARMEN"	A PERSON	9' x 10½'	"CIBRAG"
06		"DEGATE"	2402	"DEGANG" "DEGAMBA"		9' x 12'	"CICARINA"		9' x 12'	"CIBRACE"
175		"DEGARDEN"	2401	"DEGALAM"		9' x 131/2'	"CICARIB"		9' x 131/2'	"CIBOYISH"
:04		"DEGARAGE"	2400	DEGALAM		9' x 15'	"CICARGO"		9' x 15'	"CIBOX"
		REXOLEU	M DE LUXE		0478	6' x 9'	"CICANDIA"	0469	6' x 9'	"CIBUCKLE" "CIBRUTE"
Server and the server		Code	Pattern	Code		7½' x 9' 9' x 9'	"CICANCEL" "CICANARY"		7½' x 9' 9' x 9'	"CIBRUISE"
Allend		Code	Fattern			9' x 10½'	"CICANAL"		9' x 10½'	"CIBRONZE"
英		"DEGAINER"	0163	"DEFULMAR"		9' x 12'	"CICANADA"		9' x 12'	"CIBRIGHT"
2		"DEGAGA"	0161	"DEFUEL"		9' x 131/2'	"CICAMERA"		9' x 131/2'	"CIBRIDAL"
102		"DEGADE"	0158	"DEFUBSY"		9' x 15'	"CICAMEO"		9' x 15'	"CIBRETON"
.31		"DEGABLE"	0156	"DEFRUTEX"	0477	6' x 9'	"CICALVE"	0467	6' x 9'	"CIBONNET
179		"DEBAB"	0155	"DEFRUIT"	04//	6' x 9' 7½' x 9'	"CICALORY"	010,	7½' x 9'	"CIBONA"
178		"DEFYLFOT" "DEFYEN"	0128 0127	"DEFORGE" "DEFOREST"		9' x 9'	"CICALLUS"		9' x 9'	"CIBOLTER"
177		"DEFUTURE"	0097	"DEFLASH"		9' x 10½'	"CICALIX"		9' x 10½'	"CIBOIL"
176		"DEFUSTIC"	0096	"DEFLAP"		9' x 12'	"CICALCIC"		9' x 12'	"CIBOGGLE"
)175		"DEFUSS"	0094	"DEFLAME"		9' x 131/2'	"CICALCAR"		9' x 131/2'	"CIBODICE"
174		"DEFUSION"	0087	"DEFINGER"		9' x 15'	"CICALASH"		9' x 15'	"CIBODY"
173		"DEFURZE"	0086	"DEFINCH"	0.175			0420		
172		"DEFURY"	0103	"DUBAB"	0475	6' x 9'	"CICAFEIC"	0436	6' x 9'	"CIBURLY"
171		"DEFURROW"	0101	"DUBLON"		7½' x 9'	"CICADRE"	Pink	7½' x 9' 9' x 9'	"CIBUNKLE"
						9' x 9'	"CICADMIA"			"CIBUMPY" "CIBUILD"
						9' x 10½'	"CICADI"		9' x 10½' 9' x 12'	"CIBUD"
		REXOLEUI	M STANDARD			9' x 12'	"CICADET"		3 X 12	CIBUD
la ttana					0474	6' x 9'	"CICACTUS"	0436	6' x 9'	"CEHYANK"
attern		Code	Pattern	Code		7½' x 9'	"CICACO"	Yellow	7½' x 9'	"CEHYIELD"
7-62		"REXUZBEK"	R-51	"REXURAL"		9' x 9'	"CICACHOU"		9' x 9'	"CEHYOD"
R-61		"REXUVEAL"	R-50	"REXUPON"		9' x 10½'	"CICABUL"		9' x 10½'	"CEHZAVY"
R-60		"REXUVA"	R-49	"REXUPAS"		9' x 12'	"CICABRE"		9' x 12'	"CEHZEAL"
R-59		"REXUTTER"	R-45	"REXUNWELL"	0471	6' x 9'	"CIBURSAR"	0436	6' x 9'	"CEHZEBRA"
R-58		"REXUTICA"	R-44	"REXUNVEIL"		7½' x 9'	"CIBURROW"	Blue	7½' x 9'	"CEHZEBU"
R-57		"REXUS"	R-42	"REXUNTOLD"		9' x 9'	"CIBURR"		9' x 9'	"CEHZENITH
R-56		"REXURUS"	R-41	"REXUNTIL"		9' x 10½'	"CIBURNISH"		9' x 101/2'	"CEHZEPHY
R-55		"REXURIC"	R-40	"REXUNTACK"		9' x 12'	"CIBURNET"		9' x 12'	"CEHZERO"
R-54		"REXURGE"	R-38	"REXUNTOW"		9' x 13½'	"CIBURN"			
R-53		"REXUREA"	R-30	"REXUNSET"		9' x 15'	"CIBURMA"			
R-52		"REXURDU"	R-19	"REXNOBLE"				UM MATS		
		DEVOLE	TOASSAG AND		8	assorted: 2 of		CIMI MINIS	25 per carton	assorted
REXU		KENULEU	JM PASSAGE		0316	A, B, C, D,	A, B, C, D, "REXWINCE"		A, B, C, D,	"REXWINDY
Padara Logara Ou	ality	Code	Pattern	Code	0315	A, B, C, D,	"REXWILL"	0253 0252	A, B, C, D,	"REXWILILY
	"RABLESS" "RABLESS" "RABLAME" "RABLAME" "RABLAME" "RABLAME" "RABLAME"		"REXNOBLE"			COUNTE	R TOPPING			
14.6				"DUBAB"	Pattern		Code Patt			Code
5-148		"RABLACK"	0101	"DUBLON"	CT-70		"TOPECK"	CT-66		"TOPAWN"
					CT-69		"TOPEARL"	CT-65		"TOPAVE"
					CT-68		"TOPAYER"	CT-64		"TOPAUL"
		REXOLEUM F	RUGS (DE LUXE)		CT-67		"TOPAX"			
attern Si	ze in Feet	Code	Pattern Size in F	eet Code				COVERING		
0484 6'	x 9'	"CICHAIN"	0482 6' x 9	"CICELL"	Pattern		Code	Pattern		Code
73	2' x 9'	"CICHAFFY"	7½'x 9		W-70		"COJY"	W-66		"CONK"
9'	x 9'	"CICHAD"	9' x 9		W-69		"COKE"	W-65		"COOL"
9'		"CICEYLON"	9' x 10		· W-68		"COLD"	W-64		"COPS"
9'	x 12'	"CICETYL"	9' x 12		W-67		"COMO"			
9'		"CICETANE"	9' x 13							
	x 15'	"CICESSER"	9′ x 15				RF	XWALL		
9'		"CICEROUS"	0481 6' x 9	"CICATIES"	Pattern		Code	Pattern		Code
0483 6'	1/2' x 9'	"CICEREAL"	7½'x 9							
0483 6' 71		"CICEPHUS"	9' x 9		RW-11 RW-10		"WACEEN"	RW-06		"WACCENT
0483 6' 71 9'	x 9'	The same of the sa			KW-10		"WACCUL"	RW-05		"WACAJOU"
0483 6' 71' 9' 9'	x 9' x 10½'	"CICENTAL"	9' x 10	½' "CICASK"			HIMACODOOH	DW 01		IIIII PRIIDT
0483 6' 73' 9' 9'	x 9' x 10½' x 12'	"CICENSE"	9' x 10 9' x 12		RW-09		"WACCROC"	RW-04		
0483 6' 73 9' 9' 9'	x 9' x 10½' x 12'			"CICASHEW" "L' "CICARVE"			"WACCROC" "WACCORD" "WACCES"	RW-04 RW-03 RW-02		"WABRUPT" "WABORD" "WABOI"



Battleship Marboleum Handicraft Tilecraft Jaspé



